PHYSICS AND CHEMISTRY OF MINERALS

Volume 9 1983

In Cooperation with the International Mineralogical Association (IMA)

Edited by S. S. Hafner, A. S. Marfunin, C. T. Prewitt

Advisory Board

T.J. Ahrens Pasadena
A. Authier Paris
A. Baronnet Marseille
P.M. Bell Washington
G.B. Bokij Moscow
V. Gabis Orléans la Source
G.V. Gibbs Blacksburg
T. Hahn Aachen
I. Jackson Canberra
J.C. Jamieson Chicago
K. Langer Berlin
G. Lehmann Münster
R.C. Liebermann Stony Brook
J.D.C. McConnell Cambridge, U.K.
A.C. McLaren Clayton
N. Morimoto Kyoto
A. Navrotsky Tempe
R.E. Newnham University Park
A. Preisinger Vienna
R.D. Shannon Wilmington
I. Sunagawa Sendai
Y. Syono Sendai
J. Tossell College Park
V.M. Vinokurov Kazan
B.J. Wuensch Cambridge, Mass.

Springer International

Physics and Chemistry of Minerals

Founded 1977 in cooperation with the *International Mineralogical Association* (IMA)
Volumes 1–9 (1977–1983) by S.S. Hafner, A.S. Marfunin, and C.T. Prewitt.

Author Index

Abbona, F. 216
Acker, P. van 263
Ahrens, T.J. 173
Akasaka, M. 205
Alberti, A. 189
Amouric, M. 146
Anderson, O.L. 38

Bagmut, N.N. 277
Barber, D.J. 102
Baronnet, A. 146
Beran, A. 57
Bershov, L.V. 95
Bertel, E. 197
Blak, A.R. 279
Boistelle, R. 216
Boland, J.N. 30

Calas, G. 223
Cariati, F. 189
Cartlidge, S. 139
Caruba, R. 223
Catti, M. 160
Christie, J.M. 67
Coey, J.M.D. 269
Cook, R.F. 79
Cottrant, J.F. 223
Czank, M. 229

Dang, N.V. 269
DeGrave, E. 263

Erre, L. 189

Freeman, L.A. 102

Gaite, J.-M. 95
Gancedo, R. 14
Gandais, M. 182
Gonzáles-Carreño, T. 14

Hafner, S.S. 19, 95
Hornemann, U. 248
Hosoya, S. 167
Hudson, S. 9
Hyde, S.T. 79

Iacconi, P. 223
Ishii, K. 61
Isotani, S. 279
Ivaldi, G. 160

Kitamura, M. 167, 192
Kondo, K. 173
Kouchi, A. 167
Kramer, K.F. 49
Kliche, G. 109
Kohlstedt, D.L. 133

Lacam, A. 127
Lang, A.R. 6
Lehmann, G. 276, 278
Litovchenko, A.S. 277
Lutz, H.D. 109

McLaren, A.C. 79
Madsen, H.E.L. 216
Märk, T.D. 197
Mashimo, T. 237
Matyash, I.V. 277
Mazo, R.M. 9
Miura, M. 61
Morimoto, N. 192
Moukarika, A. 269
Müller, W.F. 248
Murata, H. 61

Nagayama, K. 237
Nagel, S. 19
Nissen, H.-U. 139

Pelsmaekers, J. 23
Piu, P. 189
Proshko, V.Ya 277
Putnis, A. 57

Rager, H. 95
Ricoult, D.L. 133
Roermund, H.L.M. van 30
Rossman, G.R. 212

Sanz, J. 14
Sawaoka, A. 237
Scandale, E. 182
Schäfer, H. 248
Schmidbauer, E. 124
Schneider, G. 109
Shiro, Y. 61
Simons, B. 229
Smith, D.J. 102
Sumino, Y. 38
Sunagawa, I. 167
Suzuki, I. 38

Takei, H. 167
Tobin, R.C. 79
Tossell, J.A. 115, 253

Urusov, V.S. 1

Vaughan, D.J. 253
Vezzalini, G. 189
Vochten, R. 23, 263

Walmsley, J.C. 6
Watanabe, S. 279
Waychunas, G.A. 212
Wegner, M.W. 67
Wessicken, R. 139
Willaime, C. 182

Yasuda, M. 192

Subject Index

All mineral names occurring in titles, subtitles, and abstracts are indexed. Mineral names **not** listed in the index of M. Fleischer, Glossary of Mineral Species, 1980, are marked with an asterisk (*). Chemical formulae are according to M. Fleischer (in some cases simplified) or as given by the authors. The numbers refer to the title page.

A

alkali feldspars $(K,Na)AlSi_3O_8$
- aluminium-silicon ordering 9
- deformation 182
- electron microscopy 182
- electron paramagnetic resonance 276, 277
- exsolution kinetics 9
- Monte Carlo simulation 9
- perthites 9, 276, 277
- slip system 182

amphibole group
- crocidolite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 269
- riebeckite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 115

apatite $Ca_5(PO_4)_3(F,Cl,OH)$
- in diamond coat 6
- fission track annealing 197

arsenopyrite FeAsS 109, 253

autunite group
- sabugalite $HAl(UO_2)_4(PO_4)_4 \cdot 16H_2O$ 23
- autunite $Ca(UO_2)_2(PO_4)_2 \cdot 10–12\ H_2O$ 23

B

baddeleyite ZrO_2 237

biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14

C

calcite $CaCO_3$ 173

charge distribution
- olivine group 160
- quartz 61

chemical bonding
- sulfides 253

crystal structure
- cuprite Cu_2O 19
- olivine $(Mg,Fe)_2SiO_4$ 57

cuprite Cu_2O 19

D

defects
- chain periodicity faults 229
- diffusion 79
- dislocation etch pits 67
- dolomite $CaMg(CO_3)_2$ 102
- ferrosilite III $FeSiO_3$ 229
- K feldspar $KAlSi_3O_8$ 182
- muscovite $KAl_3Si_3O_{10}(OH)_2$ 146
- quartz SiO_2 67, 79
- riebeckite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 115
- spinel $MgAl_2O_4$ 248

deformation
- dolomite $CaMg(CO_3)_2$ 102
- K feldspar $KAlSi_3O_8$ 182
- quartz SiO_2 67

diamond C 6

diffusion
- defects in quartz SiO_2 79

dislocations cf. defects

distribution coefficient cf. element distribution

dolomite $CaMg(CO_3)_2$
- defects, electron microscopy 102

E

elastic constants
- periclase MgO 38
- temperature coefficient 38

electric conductivity
- baddeleyite ZrO_2 237
- olivine $(Mg,Fe)_2SiO_4$ 127
- pressure effect 127, 237
- zircon $ZrSiO_4$ 237

electric field gradient
- cuprite Cu_2O 19

electrokinetic properties
- lipscombite $(Fe,Mn)Fe_2(PO_4)_2(OH)_2$ 263

electron diffraction cf. also electron microscopy
- olivine $(Mg,Fe)_2SiO_4$ 133

electron microscopy
- chabazite $CaAl_2Si_4O_{12} \cdot 6\ H_2O$ 139
- clinoenstatite $(Mg,Fe)SiO_3$ 192
- dolomite $CaMg(CO_3)_2$ 102
- K feldspar $KAlSi_3O_8$ 182
- olivine $(Mg,Fe)_2SiO_4$ 57, 133
- omphacite $(Na,Ca,Mg,Fe)_2(Si,Al)_2O_6$ 30
- protoenstatite $MgSiO_3$ 192
- quartz SiO_2 79

electron nuclear double resonance (ENDOR)
- forsterite Mg_2SiO_4 95

electron paramagnetic resonance (EPR)
- alkali feldspar $(Na,K)AlSi_3O_8$ 276, 277
- beryl: Fe $Be_3Al_2Si_6O_{18}$ 278, 279
- forsterite: Cr, Al Mg_2SiO_4 95
- scheelite: REE $CaWO_4$ 223

electron spin resonance (ESR) cf. electron paramagnetic resonance (EPR)

electronic structure
- sulfides 253

element distribution
- mineral-aqueous equilibrium 49
- olivine-melt (Ni) 157

equation of state
- baddeleyite ZrO_2 237
- periclase MgO 38
- zircon $ZrSiO_4$ 237

etching
- quartz 67

exsolution
- alkali feldspar $(K,Na)AlSi_3O_8$ 9
- omphacite $(Na,Ca,Mg,Fe)_2(Si,Al)_2O_6$ 30

extended X-ray absorption fine structure (EXAFS)
- $LiAlO_2$: Fe^{+3} 212

F

far infrared spectroscopy (FIR)
- sulfides 109

faults cf. defects

feldspar group cf. alkali feldspar

***ferrosilite III** cf. pyroxenoids

fission track
- annealing in apatite 197

fluorescence
- scheelite: REE $CaWO_4$ 223

G

grain boundaries
- migration 30
- olivine $(Mg,Fe)_2SiO_4$ 133

Grüneisen parameter
- periclase MgO 38

gypsum $CaSO_4 \cdot 2\ H_2O$
- shock effects 173

H

halite NaCl
- shock effects 173

hydrolytic weakening
- quartz SiO_2 79

hydroxyl groups
- barrerite $(Na,K,Ca)_2Al_2Si_7O_{18} \cdot 7\ H_2O$ 189
- biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14
- olivine $(Mg,Fe)_2SiO_4$ 57
- quartz SiO_2 79

I

infrared spectroscopy
- arsenopyrite FeAsS 109
- barrerite $(Na,K,Ca)_2Al_2Si_7O_{18} \cdot 7\ H_2O$ 189
- biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14
- loellingite $FeAs_2$ 109
- marcasite FeS_2 109
- olivine $(Mg,Fe)_2SiO_4$ 57
- pyrite FeS_2 109
- sabugalite $HAl(UO_2)_4(PO_4)_4 \cdot 16\ H_2O$ 23

K

kinetics
- annealing of fission tracks 197
- chain periodicity faults 229
- exsolution in feldspars 9
- growth, olivine 167
- transformation of omphacite 30

L

larnite Ca_2SiO_4 160

lattice dynamics
- quartz SiO_2 61

lattice energy
- merwinite $Ca_3Mg(SiO_4)_2$ 160

olivine group 160
lattice imaging cf. also electron microscopy
chabazite $CaAl_2Si_4O_{12}\cdot 6\,H_2O$ 139
dolomite $CaMg(CO_3)_2$ 102
*ferrosilite III $FeSiO_3$ 229
muscovite $KAl_3Si_3O_{10}(OH)_2$ 146
light scattering
water bubbles in quartz 79
lipscombite $(Fe,Mn)Fe_2(PO_4)_2(OH)_2$
manganoan 263

M

magnetic ordering
crocidolite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 269
magnetic properties
spinels 124
marcasite FeS_2 109, 253
merwinite $Ca_3Mg(SiO_4)_2$
lattice energy 160
mica group cf. biotite, muscovite
Mössbauer spectra cf. nuclear gamma ray resonance (NGR)
molecular orbital (MO) **theory**
periclase MgO 115
riebeckite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 115
sulfides 253
Monte Carlo
simulation of silicon-aluminium ordering and exsolution 9
morphology
newberyite $MgHPO_4\cdot 3\,H_2O$ 216
scheelite $CaWO_4$ 223
struvite $(NH_4)MgPO_4\cdot 6\,H_2O$
muscovite $KAl_3Si_3O_{10}(OH)_2$ 146

N

neutron diffraction
crocidolite $Na_2(Mg,Fe)_3Fe_2Si_8O_{22}(OH)_2$ 269
newberyite $MgHPO_4\cdot 3\,H_2O$ 216
nuclear gamma ray resonance (NGR)
biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14
clinopyroxenes $CaFeAlSiO_6 - CaTiAl_2O_6$ 205
crocidolite $Na_2(Fe,Mg)_3Fe_2Si_8O_{22}(OH)_2$ 269
$LiAlO_2:Fe^{+3}$ 212
lipscombite $(Fe,Mn)Fe_2(PO_4)_2(OH)_2$ 263
nuclear magnetic resonance (NMR)
biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14

O

olivine group
charge distribution 160
distribution coefficient, Ni, melt 167
electric conductivity 127
electron diffraction 133
electron nuclear double resonance 95
electron paramagnetic resonance 95
forsterite Mg_2SiO_4 160
grain boundaries 133
growth kinetics 167
hydroxyl groups 57
infrared spectroscopy 57
lattice energy 160
monticellite $CaMgSiO_4$ 160
structure 57
optical spectra
beryl $Be_3Al_2Si_6O_{18}$ 278, 279
$LiAlO_2:Fe^{+3}$ 212
order-disorder
alkali feldspar $(K,Na)AlSi_3O_8$ 9
muscovite $KAl_3Si_3O_{10}(OH)_2$ 146
spinel group 1
stacking 146
oxidation
biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ 14

P

paramagnetic centers cf. defects
periclase MgO
elastic constants 38
molecular orbital theory 115
perthite cf. alkali feldspar
phase transition
barrerite $(Na,K,Ca)_2Al_2Si_7O_{18}\cdot 7\,H_2O$ 189
struvite $(NH_4)MgPO_4\cdot 6\,H_2O$ 216
polytypism
muscovite $KAl_3Si_3O_{10}(OH)_2$ 146
pyrite FeS_2 109, 253
pyroxene group
clinoenstatite $(Mg,Fe)SiO_3$ 192
clinopyroxenes $CaFeAlSiO_6$-$CaTiAl_2O_6$ 205
omphacite $(Na,Ca,Mg,Fe)_2(Si,Al)_2O_6$ 30
orthoferrosilite $FeSiO_3$ 229
protoenstatite $MgSiO_3$ 192
pyroxenoids
*ferrosilite III $FeSiO_3$ 229
chain periodicity faults 229
lattice imaging 229

Q

quartz SiO_2
deformation 67
etching 67
lattice dynamics 61
light scattering 79
water bubbles 79

S

scheelite $CaWO_4$ 223
shock effects
baddelyeite ZrO_2 237
calcite $CaCO_3$ 173
gypsum $CaSO_4\cdot 2\,H_2O$ 173
halite NaCl 173
induced radiation 173
spinel $MgAl_2O_4$ 248
zircon $ZrSiO_4$ 237
site preference cf. order-disorder
solubility
lipscombite $(Fe,Mn)Fe_2(PO_4)_2(OH)_2$ 263
p_H-dependence 49
sabugalite $HAl(UO_2)_4(PO_4)_4\cdot 16\,H_2O$ 23
spinel group
dislocations 248
electron microscopy 248
magnetic properties 124
order-disorder 1
shock effects 248
thermodynamic properties 1
twinning 248
struvite $(NH_4)MgPO_4\cdot 6\,H_2O$ 216

T

thermal analysis (DTA,TGA)
sabugalite $HAl(UO_2)_4(PO_4)_4\cdot 16\,H_2O$ 23
thermodynamic properties
periclase MgO 38
spinel group 1
thermoluminescence (TL)
scheelite:REE $CaWO_4$ 223
transmission electron microscopy (TEM) cf. electron microscopy, lattice imaging
twinning
chabazite $CaAl_2Si_4O_{12}\cdot 6\,H_2O$ 139
clinoenstatite $(Mg,Fe)SiO_3$ 192
protoenstatite $MgSiO_3$ 192
spinel $MgAl_2O_4$ 248

X

X-ray spectroscopy
sulfides 253
$LiAlO_2:Fe^{+3}$ 212

Z

zeolite group
barrerite $(Na,K,Ca)_2Al_2Si_7O_{18}\cdot 7\,H_2O$ 189
chabazite $CaAl_2Si_4O_{12}\cdot 6\,H_2O$ 139
zircon $ZrSiO_4$ 237